

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/495,207	01/31/2000	Robert E. Robotham	1400.4100242	4551
25697	7590 08/30/2005		EXAMINER	
ROSS D. SNYDER & ASSOCIATES, INC.			PHILPOTT, JUSTIN M	
PO BOX 164 AUSTIN, TX	.075 X 78716-4075		ART UNIT	PAPER NUMBER
•			2665	
			DATE MAILED: 08/30/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary The MAILING DATE of this communication app Period for Reply	∕ IS SET TO EXPIRE 3 MONTH(
The MAILING DATE of this communication app	Justin M. Philpott ears on the cover sheet with the c / IS SET TO EXPIRE 3 MONTH	2665 correspondence address				
	ears on the cover sheet with the c	correspondence address				
	∕ IS SET TO EXPIRE 3 MONTH(·				
	•	(S) FROM				
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	rill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	nely filed rs will be considered timely. Ithe mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 10 Ju	<u>ine 2005</u> .					
2a)⊠ This action is FINAL . 2b)☐ This						
3) Since this application is in condition for allowar closed in accordance with the practice under E	•					
Disposition of Claims						
4) ☑ Claim(s) 1-33 is/are pending in the application. 4a) Of the above claim(s) is/are withdray 5) ☐ Claim(s) is/are allowed. 6) ☑ Claim(s) 1-33 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	vn from consideration.					
Application Papers						
9) The specification is objected to by the Examine	r. ·					
	10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.					
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correct	ion is required if the drawing(s) is ob	ejected to. See 37 CFR 1.121(d).				
11)☐ The oath or declaration is objected to by the Ex	aminer. Note the attached Office	Action or form PTO-152.				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priority application from the International Bureau * See the attached detailed Office action for a list	s have been received. s have been received in Applicat ity documents have been receive I (PCT Rule 17.2(a)).	ion No ed in this National Stage				
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal F 6) Other:					

DETAILED ACTION

Response to Arguments

Applicant's arguments filed June 10, 2005 have been fully considered but they are not persuasive.

- 1. First, applicant argues (page 2, third paragraph) that Soirinsuo does not teach a plurality of cell buffers as recited in applicant's claims. However, while col. 10, lines 58-60 of Soirinsuo recite buffering cells in a buffer, the remainder of the passage (i.e., col. 10, lines 61-65) clearly indicates the cell buffer is one of a plurality of cell buffers (e.g., see "buffers" in lines 63 and 65). Thus, applicant's argument is not persuasive.
- Second, applicant argues (page 2, fourth paragraph) that Soirinsuo does not teach queuing the identity of a virtual connection when cells that constitute a complete packet are buffered in a cell buffer, as recited in applicant's claims. However, Soirinsuo clearly teaches controller 1120 operates in accordance with the processes of FIGS. 9 and 10 (e.g., see col. 10, lines 13-15). Further, the process of FIG. 10 teaches that the scheduler implementing the process transmits next available complete packets of cells upon completion of transmission of a previous complete packet of cells (e.g., see col. 9, line 53 col. 10, line 21), implying an indicator of the next available complete packet is buffered, or queued, for such access by the scheduler. Still further, Soirinsuo also discloses that the buffer management subsystem *schedules* transmission of packets after the last cell of the packet has arrived (e.g., see col. 8, lines 25-41), inherently requiring an indicator, or identity, of the connection for scheduling. Thus, applicant's argument is not persuasive.

Application/Control Number: 09/495,207 Page 3

Art Unit: 2665

Third, applicant argues (page 2, fifth paragraph) that Soirinsuo does not teach obtaining prioritization information for the merged virtual connections. However, as discussed in the previous office action, and repeated herein, Soirinsuo teaches obtaining prioritization for the merged virtual connections by specifically disclosing four service classes with various priorities (e.g., see col. 7, line 18 – col. 8, line 41). Still further, Soirinsuo teaches priorities of the connections are utilized for determining scheduling (e.g., see col. 8, lines 36-41). Thus, applicant's argument is not persuasive.

- 4. Fourth, applicant argues (page 3, first paragraph) that Soirinsuo does not teach generating a cell stream as recited in applicant's claims. However, Soirinsuo teaches generating a cell stream for a merged virtual connection (e.g., see col. 8, lines 25-41) based on prioritization information and virtual connection identities (e.g., based on priorities and VCC, see col. 7, line 1 col. 8, line 41), wherein the merged virtual connection is identified by a merged virtual connection identifier (e.g., VCI, see VPI/VCI Translation 934 in FIG. 9, as well as col. 8, line 42 col. 9, line 51), and wherein each cell in the cell stream includes the merged virtual connection identifier (e.g., each cell in the cell stream includes a VCI, see col. 8, line 47 col. 9, line 52). Thus, applicant's argument is not persuasive.
- 5. Fifth, applicant argues (page 3, second paragraph to page 4, first paragraph) that Benson teaches pointers and not cells or virtual connections, and thus, Soirinsuo in view of Benson cannot teach applicant's claims. However, in response to applicant's arguments against the references individually, one cannot show nonobviousness by attacking references individually where the rejections are based on combinations of references. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981); *In re Merck & Co.*, 800 F.2d 1091, 231 USPQ 375 (Fed. Cir.

Art Unit: 2665

1986). The queuing teachings of Benson applied to the queuing within the method of Soirinsuo advantageously combine to provide improved communication via reduced memory requirements and lower latency (e.g., see Benson, col. 2, lines 66-67), and result in the teaching recited in applicant's claims. Thus, applicant's argument is not persuasive.

- 6. Sixth, applicant argues (page 4, second paragraph) that Benson teaches away from applicant's claims by reciting, "only read requests having the predefined priority are placed into the request FIFO 210". However, Benson clearly teaches connections each have a predefined priority, and dequeuing (e.g., via read requests) is implicitly performed within intervals since read requests that are not of a particular predefined priority are not implemented during certain intervals when the amount of memory consumed is above a particular level (e.g., see col. 10, lines 55-63). Thus, applicant's argument is not persuasive.
- 7. Seventh, applicant argues (page 5, first and second paragraphs) that Soirinsuo does not teach a plurality of cell buffers as recited in applicant's claims. However, while col. 10, lines 58-60 of Soirinsuo recite buffering cells in a buffer, the remainder of the passage (i.e., col. 10, lines 61-65) clearly indicates the cell buffer is one of a plurality of cell buffers (e.g., see "buffers" in lines 63 and 65). Thus, applicant's argument is not persuasive.
- 8. Eighth, applicant argues (page 6, first paragraph) that Soirinsuo does not teach allocating bandwidth based on class. However, Soirinsuo clearly teaches accommodating and identifying a plurality of classes (e.g., constant bit-rate CBR, variable bit-rate VBR, etc., see col. 7, lines 37-50), wherein it is implicit that accommodating various bit-rate parameters corresponds to allocation of bandwidth. Thus, applicant's argument is not persuasive.

- 9. Ninth, applicant asserts (page 6, second paragraph) that the priority scheduler of Soirinsuo is different from, and does not teach the limitations of, applicant's "prioritization table". However, applicant fails to provide any reasoning or support for such an assertion, and thus, applicant fails to provide a persuasive argument.
- 10. Tenth, applicant argues (page 6, fifth paragraph) that Soirinsuo does not teach the limitations recited in applicant's claims 9 and 33. However, as discussed in the previous office action, and repeated herein, Soirinsuo teaches generating a cell stream by combining the cell stream of a first virtual connection (e.g., VCC₁) with a cell stream of at least a second virtual connection (e.g., VCC₂), wherein the virtual connection identifier corresponding to the second virtual connection is different than the first virtual connection identifier. While Soirinsuo may not specifically disclose that, e.g., a first virtual connection (e.g., VCC₁) comprises a merged virtual connection and that the merged virtual connection is further merged with a second virtual connection, Soirinsuo teaches the method of providing a merged virtual connection (e.g., 450 VCC_{1-n}) comprising a plurality of virtual connections. At the time of the invention it would have been obvious to one of ordinary skill in the art to utilize a first virtual connection (e.g., VCC₁) comprising a merged virtual connection such as the merged virtual connection taught by Soirinsuo (e.g., 450 VCC_{1-n}) in order to accommodate additional virtual connections. Thus, applicant's argument is not persuasive.
- 11. Eleventh, applicant argues (page 7, first paragraph) that despite Soirinsuo clearly teaching the virtual connection merging system is included in a portion of a communication switch (e.g., see col. 10, lines 35-42), it would not be obvious to one of ordinary skill in the art to implement the system contained within the switch such that it is placed in the egress or ingress

Art Unit: 2665

portion of the switch. That is, applicant requests Examiner to provide evidence, aside from the official notice taken in the previous office actions, that such an implementation would be obvious to one of ordinary skill in the art. In response to this request, the following prior art provides this well known teaching in the art: U.S. Patent No. 5,956,334 to Chu et al., U.S. Patent No. 5,838,681 to Bonomi et al., U.S. Patent No. 5,812,527 to Kline et al., U.S. Patent No. 5,777,984 to Gun et al., and U.S. Patent Nos. 5,689,506, 5,689,505 and 5,689,500 to Chiussi et al. Accordingly, it has been shown that it would be obvious to one of ordinary skill in the art to implement the virtual connection system contained within the switch such that it is placed in the egress or ingress portion of the switch.

Claim Rejections - 35 USC § 103

- 12. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 13. Claims 1-33 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 6,148,001 to Soirinsuo et al. in view of U.S. Patent No. 6,026,090 to Benson et al.

Regarding claims 1, 10, 17 and 25, Soirinsuo teaches a method for merging a plurality of virtual connections (e.g., VCC₁-VCC_n in FIG. 4) to form a merged virtual connection (e.g., 450), comprising: buffering cells of each of the plurality of virtual connections into a corresponding one of a plurality of cell buffers (e.g., see col. 10, lines 58-60), wherein each of the plurality of virtual connections is identified by a virtual connection identifier (e.g., VCI 712 in FIG. 7);

Art Unit: 2665

queuing the identity of a virtual connection when cells that constitute a complete packet are buffered in a cell buffer (e.g., via switch controller comprising state machine 1130, see col. 10, lines 16-18), obtaining prioritization information for the merged virtual connection (e.g., service classes, see col. 7, lines 37-50; and payload type PT, see col. 9, lines 7-32); and generating a cell stream for the merged virtual connection based on the prioritization information and virtual connection identifies, wherein the merged virtual connection is identified by a merged virtual connection identifier (e.g., see VPI/VCI Translation 934 in FIG. 9), wherein each cell in the cell stream includes the merged virtual connection identifier. While Soirinsuo may not specifically disclose queuing the identity (e.g., VCI) in a specific queue configuration, Soirinsuo teaches the step of scheduling virtual connections in accordance with the completion of buffered packets (e.g., see col. 9, lines 15-16) via a switch controller (e.g., see col. 10, lines 16-29). Furthermore, Soirinsuo discloses that those skilled in the art will recognize that other methods of obtaining the state of the received cells may be used without departing from the scope of the invention (col. 10, lines 18-21).

Benson also teaches a method for receiving cells, and further, specifically teaches queuing an identifier in a queue (e.g., in the form of complete pointer 128) when cells that constitute a complete queue are buffered in a corresponding cell buffer (e.g., complete queue 124, see col. 4, line 40 – col. 6, line 50 with reference to FIG. 2). Benson further teaches that it is well known in the art to also identify when cells that constitute a complete packet are buffered (e.g., see col. 2, lines 58-67), when suitable memory is available. Further, regarding claim 25, Benson teaches dequeuing of cells is performed in intervals, where different classes receive priority for different ones of the intervals (e.g., see col. 9, line 33 – col. 10, line 65 wherein

Art Unit: 2665

dequeuing is in accordance with a particular a rate, and different connections receive a particular predefined priority which corresponds to the rate). The teachings of Benson provide improvements in ATM communication such as reduced memory requirements and lower latency (e.g., see col. 2, lines 66-67). Thus, at the time of the invention it would have been obvious to one of ordinary skill in the art to apply the teachings of Benson to the method of Soirinsuo in order to reduce memory requirements and reduce latency in ATM communications.

Regarding claims 2, 14, 18 and 26, Soirinsuo and Benson teaches dequeuing cells from the plurality of buffers to produce the cell stream, wherein dequeuing of the cells is based on the prioritization information (e.g., see col. 9, line 33 – col. 10, line 65).

Regarding claims 3, 11, 13, 19 and 27, Soirinsuo teaches each virtual connection comprises prioritization information which includes class prioritization information (e.g., service classes, see col. 7, lines 37-50; and payload type PT, see col. 9, lines 7-32).

Regarding claims 4, 12, 20 and 28, as discussed above regarding claims 1, 10 and 17, Benson teaches the plurality of queues is a linked list configuration (e.g., see col. 5, lines 5-15 and FIG. 2 regarding pointer 128). Also, as discussed above, the teachings of Benson provide improvements in ATM communication such as reduced memory requirements and lower latency (e.g., see col. 2, lines 66-67). Thus, at the time of the invention it would have been obvious to one of ordinary skill in the art to apply the teachings of Benson to the method of Soirinsuo in order to reduce memory requirements and reduce latency in ATM communications.

Regarding claims 5, 21 and 29, Soirinsuo teaches the prioritization information allocates available bandwidth on the merged virtual connection based on class by teaching the

Art Unit: 2665

prioritization information comprises service classes in accordance with various bit rate type requirements (e.g., CBR, VBR, see col. 7, lines 37-50).

Regarding claims 6, 22 and 30, Soirinsuo teaches prioritization information further comprises referencing a prioritization table (e.g., scheduler supporting priorities, see col. 10, lines 22-42) that stores an accessing sequence (e.g., buffer state list or weighted scheduling) for the plurality of queues.

Regarding claims 7, 23 and 31, Soirinsuo teaches generating the cell stream such that cells corresponding to different packets that are combined to produce the merged virtual connection are not intermingled (e.g., see col. 10, lines 29-35).

Regarding claims 8, 24 and 32, Soirinsuo teaches detecting an end of message indication that indicated a final cell for the complete packet (e.g., see col. 9, lines 7-8).

Regarding claims 9 and 33, as discussed above regarding claim 1, Soirinsuo teaches generating a cell stream by combining the cell stream of a first virtual connection (e.g., VCC₁) with a cell stream of at least a second virtual connection (e.g., VCC₂), wherein the virtual connection identifier corresponding to the second virtual connection is different than the first virtual connection identifier. While Soirinsuo may not specifically disclose that, e.g., a first virtual connection (e.g., VCC₁) comprises a merged virtual connection and that the merged virtual connection is further merged with a second virtual connection, Soirinsuo teaches the method of providing a merged virtual connection (e.g., 450 VCC_{1-n}) comprising a plurality of virtual connections. At the time of the invention it would have been obvious to one of ordinary skill in the art to utilize a first virtual connection (e.g., VCC₁) comprising a merged virtual

Application/Control Number: 09/495,207 Page 10

Art Unit: 2665

connection such as the merged virtual connection taught by Soirinsuo (e.g., 450 VCC_{1-n}) in order to accommodate additional virtual connections.

Regarding claims 15 and 16, Soirinsuo teaches the virtual connection merging system is included in a portion of a communication switch (e.g., see col. 10, lines 35-42). While Soirinsuo may not specifically disclose the location of the virtual connection merging system is limited to specifically either the ingress portion or egress portion of the communication switch, these claims were rejected in the previous office action by the Examiner taking official notice that the limitations recited in these claims are well known in the art; that is, it is well known in the art for a virtual connection merging system to be located in the ingress or egress portion of a communication switch. In Applicant's response to the previous office action, Applicant has requested for proof that such teachings are well known in the art. In response to this request, the following prior art provides this well known teaching in the art: U.S. Patent No. 5,956,334 to Chu et al., U.S. Patent No. 5,838,681 to Bonomi et al., U.S. Patent No. 5,812,527 to Kline et al., U.S. Patent No. 5,777,984 to Gun et al., and U.S. Patent Nos. 5,689,506, 5,689,505 and 5,689,500 to Chiussi et al. Accordingly, it has been shown that it would be obvious to one of ordinary skill in the art to implement the virtual connection system contained within the switch of Soirinsuo such that it is placed in the egress or ingress portion of the switch.

Conclusion

14. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Art Unit: 2665

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

15. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Justin M. Philpott whose telephone number is 571.272.3162. The examiner can normally be reached on M-F, 9:00am-5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Huy D. Vu can be reached on 571.272.3155. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Justin M Philpott

Alam 13. 200

Page 11

ALPUS H. HSU PRIMARY EXAMINER